## **CPC** COOPERATIVE PATENT CLASSIFICATION

D01F CHEMICAL FEATURES IN THE MANUFACTURE OF ARTIFICIAL

FILAMENTS, THREADS, FIBRES, BRISTLES OR RIBBONS APPARATUS SPECIALLY ADAPTED FOR THE MANUFACTURE OF

**CARBON FILAMENTS** 

## **Guide heading:**

D01F 1/00	General methods for the manufacture of artificial filaments or the like	
D01F 1/02	. Addition of substances to the spinning solution or to the melt (addition of substances to viscose D01F 2/08 to D01F 2/20)	
D01F 1/04	Pigments	
D01F 1/06	Dyes	
D01F 1/07	for making fire- or flame-proof filaments	
D01F 1/08	for forming hollow filaments	
D01F 1/09	for making electroconductive or anti-static filaments	
D01F 1/10	Other agents for modifying properties	
D01F 1/103	{Agents inhibiting growth of micro-organisms }	
D01F 1/106	Radiation shielding agents, e.g. absorbing, reflecting agents }	
D01F 2/00	Monocomponent artificial filaments or the like of cellulose or cellulose derivatives Manufacture thereof	
D01F 2/02	. from solutions of cellulose in acids, bases or salts	
D01F 2/04	from cuprammonium solutions	
D01F 2/06	. from viscose (preparation of alkali cellulose <u>C08B</u> )	
D01F 2/08	Composition of the spinning solution or the bath (preparing or dissolving cellulose xanthate C08B)	
D01F 2/10	Addition to the spinning solution or spinning bath of substances which exert their effect equally well in either	
D01F 2/12	Addition of delustering agents to the spinning solution	
D01F 2/14	Addition of pigments	
D01F 2/16	Addition of dyes to the spinning solution	
D01F 2/18	Addition to the spinning solution of substances to influence ripening	
D01F 2/20	for the manufacture of hollow threads	
D01F 2/22	by the dry spinning process	
D01F 2/24	. from cellulose derivatives	
D01F 2/26	from nitrocellulose	
D01F 2/28	from organic cellulose esters or ethers, e.g. cellulose acetate	

D01F 2/30	by the dry spinning process
D01F 4/00	Monocomponent artificial filaments or the like of proteins Manufacture thereof
D01F 4/02	. from fibroin
D01F 4/04	. from casein
D01F 4/06	. from globulins, e.g. groundnut protein
D01F 6/00	Monocomponent artificial filaments or the like of synthetic polymers Manufacture thereof
D01F 6/02	. from homopolymers obtained by reactions only involving carbon-to-carbon unsaturated bonds
D01F 6/04	from polyolefins
D01F 6/06	from polypropylene
D01F 6/08	from polymers of halogenated hydrocarbons
D01F 6/10	from polyvinyl chloride or polyvinylidene chloride
D01F 6/12	from polymers of fluorinated hydrocarbons
D01F 6/14	<ul> <li>from polymers of unsaturated alcohols, e.g. polyvinyl alcohol, or of their acetals or ketals</li> </ul>
D01F 6/16	<ul> <li>from polymers of unsaturated carboxylic acids or unsaturated organic esters, e.g. polyacrylic esters, polyvinyl acetate</li> </ul>
D01F 6/18	from polymers of unsaturated nitriles, e.g. polyacrylonitrile, polyvinylidene cyanide
D01F 6/20	from polymers of cyclic compounds with one carbon-to-carbon double bond in the side chain
D01F 6/22	from polystyrene
D01F 6/24	from polymers of aliphatic compounds with more than one carbon-to-carbon double bond
D01F 6/26	from other polymers
D01F 6/28	<ul> <li>from copolymers obtained by reactions only involving carbon-to-carbon unsaturated bonds</li> </ul>
	<u>NOTE</u>
	For the purposes of groups <u>D01F 6/30</u> to <u>D01F 6/96</u> , the percentage for determining the major constituent is expressed in mole percent.
D01F 6/30	comprising olefins as the major constituent
D01F 6/32	comprising halogenated hydrocarbons as the major constituent
D01F 6/34	comprising unsaturated alcohols, acetals or ketals as the major constituent
D01F 6/36	comprising unsaturated carboxylic acids or unsaturated organic esters as the major constituent
D01F 6/38	comprising unsaturated nitriles as the major constituent
D01F 6/40	Modacrylic fibres, i.e. containing 35 to 85% acrylonitrile

D01F 6/42	comprising cyclic compounds containing one carbon-to-carbon double bond in the side chain as major constituent
D01F 6/44	<ul> <li>from mixtures of polymers obtained by reactions only involving carbon-to-carbon unsaturated bonds as major constituent with other polymers or low-molecular-weight compounds</li> </ul>
D01F 6/46	of polyolefins
D01F 6/48	of polymers of halogenated hydrocarbons
D01F 6/50	of polyalcohols, polyacetals or polyketals
D01F 6/52	of polymers of unsaturated carboxylic acids or unsaturated esters
D01F 6/54	of polymers of unsaturated nitriles
D01F 6/56	<ul> <li>of polymers of cyclic compounds with one carbon-to-carbon double bond in the side chain</li> </ul>
D01F 6/58	from homopolycondensation products
D01F 6/60	from polyamides (from polyamino acids or polypeptides <u>D01F 6/68</u> )
D01F 6/605	{from aromatic polyamides }
D01F 6/62	from polyesters
D01F 6/625	{derived from hydroxy-carboxylic acids, e.g. lactones }
D01F 6/64	from polycarbonates
D01F 6/66	from polyethers
D01F 6/665	{from polyetherketones, e.g. PEEK }
D01F 6/68	from polyaminoacids or polypeptides
D01F 6/70	from polyurethanes
D01F 6/72	from polyureas
D01F 6/74	from polycondensates of cyclic compounds, e.g. polyimides, polybenzimidazoles
D01F 6/76	from other polycondensation products
D01F 6/765	{from polyarylene sulfides }
D01F 6/78	. from copolycondensation products
D01F 6/80	from copolyamides
D01F 6/805	{from aromatic copolyamides }
D01F 6/82	from polyester amides or polyether amides
D01F 6/84	from copolyesters
D01F 6/86	from polyetheresters
D01F 6/88	<ul> <li>from mixtures of polycondensation products as major constituent with other polymers or low-molecular-weight compounds</li> </ul>
D01F 6/90	of polyamides
D01F 6/905	{of aromatic polyamides }
D01F 6/92	of polyesters
D01F 6/94	of other polycondensation products
D01F 6/96	. from other synthetic polymers

D01F 8/00	Conjugated, i.e. bi- or multi-component, artificial filaments or the like Manufacture thereof
D01F 8/02	. from cellulose, cellulose derivatives, or proteins
D01F 8/04	. from synthetic polymers
D01F 8/06	with at least one polyolefin as constituent
D01F 8/08	with at least one polyacrylonitrile as constituent
D01F 8/10	<ul> <li>with at least one other macromolecular compound obtained by reactions only involving carbon-to-carbon unsaturated bonds as constituent</li> </ul>
D01F 8/12	with at least one polyamide as constituent
D01F 8/14	with at least one polyester as constituent
D01F 8/16	with at least one other macromolecular compound obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds as constituent
D01F 8/18	. from other substances
D01F 9/00	Artificial filaments or the like of other substances Manufacture thereof Apparatus specially adapted for the manufacture of carbon filaments
D01F 9/02	. of reaction products of rubber with acids or acid anhydrides, e.g. sulfur dioxide
D01F 9/04	. of alginates
D01F 9/08	<ul> <li>of inorganic material (from softened glass, minerals or slags <u>C03B 37/00</u>; { obtaining ceramic fibres <u>C04B 35/62227</u> }; incandescent bodies <u>F21H</u> , <u>H01K 1/02</u>, <u>H01K 3/02</u>)</li> </ul>
D01F 9/10	by decomposition of organic substances ( <u>D01F 9/12</u> takes precedence)
D01F 9/12	Carbon filaments Apparatus specially adapted for the manufacture thereof { (with fullerene structure, e.g. carbon nanotubes C01B 31/0206) }
D01F 9/127	<ul> <li>by thermal decomposition of hydrocarbon gases or vapours { or other carbon-containing compounds in the form of gas or vapour, e.g. carbon monoxide, alcohols }</li> </ul>
D01F 9/1271	{Alkanes or cycloalkanes }
D01F 9/1272	{Methane }
D01F 9/1273	{Alkenes, alkynes }
D01F 9/1274	{Butadiene }
D01F 9/1275	{Acetylene }
D01F 9/1276	{Aromatics, e.g. toluene }
D01F 9/1277	{Other organic compounds }
D01F 9/1278	{Carbon monoxide }
D01F 9/133	Apparatus therefor
D01F 9/14	by decomposition of organic filaments
D01F 9/145	from pitch or distillation residues
D01F 9/15	from coal pitch

D01F 9/155		from petroleum pitch
D01F 9/16		from products of vegetable origin or derivatives thereof, e.g. from cellulose acetate (D01F 9/18 takes precedence)
D01F 9/17		from lignin
D01F 9/18		from proteins, e.g. from wool
D01F 9/20		from polyaddition, polycondensation or polymerisation products ( <u>D01F</u> <u>9/145</u> , <u>D01F 9/16</u> , <u>D01F 9/18</u> take precedence)
D01F 9/21		from macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds
D01F 9/22		from polyacrylonitriles
D01F 9/225		{from stabilised polyacrylonitriles }
D01F 9/24		from macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds
D01F 9/245		{from polyurethanes }
D01F 9/26		from polyesters
D01F 9/28		from polyamides
D01F 9/30		from aromatic polyamides
D01F 9/32		Apparatus therefor
D01F 9/322		{for manufacturing filaments from pitch }
D01F 9/324		{for manufacturing filaments from products of vegetable origin }
D01F 9/326		{for manufacturing filaments from proteins }
D01F 9/328		(for manufacturing filaments from polyaddition, polycondensation, or
		polymerisation products }
D01F 11/00		ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B };
<b>D01F 11/00</b> D01F 11/02	artificial filam finishing <u>D06</u>	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B };
D01F 11/02	artificial filam finishing D06 . of cellulos	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M))  see, cellulose derivatives, or proteins
	artificial filam finishing D06  of cellulos  of synthet  of mac	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags <a href="C03C">C03C</a> ; from ceramics <a href="C04B">C04B</a> }; <a href="C04B">SM</a> )
D01F 11/02 D01F 11/04	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of mac	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; iM)  se, cellulose derivatives, or proteins tic polymers cromolecular compounds obtained by reactions only involving
D01F 11/02 D01F 11/04 D01F 11/06	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of mac	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M)  see, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds
D01F 11/02 D01F 11/04 D01F 11/06 D01F 11/08	artificial filam finishing D06  of cellulos  of synthet  of mac carbon  of carbon	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M)  se, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds
D01F 11/02 D01F 11/04 D01F 11/06 D01F 11/08 D01F 11/10	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of mac carbor  of carbon  with in	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M)  see, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds
D01F 11/02 D01F 11/04 D01F 11/06 D01F 11/08  D01F 11/10 D01F 11/12	artificial filam finishing D06  of cellulos  of synthet  of mac carbon  of carbon  with in  Ha	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M)  see, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds organic substances {Intercalation }
D01F 11/02  D01F 11/04  D01F 11/06  D01F 11/08  D01F 11/10  D01F 11/12  D01F 11/121	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of mac carbor  of carbon  with in  {Ha  Ox	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags C03C; from ceramics C04B }; (M)  see, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving n-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving n-to-carbon unsaturated bonds  organic substances {Intercalation } talogen, halogenic acids or their salts }
D01F 11/02 D01F 11/04 D01F 11/06 D01F 11/08  D01F 11/10 D01F 11/12 D01F 11/121 D01F 11/122	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of mac carbor  of carbon  with in  {Ha}  {Ox	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M)  see, cellulose derivatives, or proteins  tic polymers  cromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds  cromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds  organic substances {Intercalation }  alogen, halogenic acids or their salts }  eygen, oxygen-generating compounds (anode oxidising D01F 11/16) }
D01F 11/02  D01F 11/04  D01F 11/06  D01F 11/08  D01F 11/10  D01F 11/12  D01F 11/121  D01F 11/122  D01F 11/123	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of carbon  of carbon  with in  {Ha  {Ox  {Ox  {Bo	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags CO3C; from ceramics CO4B }; (M))  see, cellulose derivatives, or proteins  tic polymers  tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds  tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds  organic substances {Intercalation }  alogen, halogenic acids or their salts }  trygen, oxygen-generating compounds (anode oxidising DO1F 11/16) }  trides }
D01F 11/02 D01F 11/04 D01F 11/06 D01F 11/08  D01F 11/10 D01F 11/12 D01F 11/121 D01F 11/122 D01F 11/123 D01F 11/124	artificial filam finishing D06  of cellulos  of synthet  of mac carbor  of carbon  of carbon  with in  {Ox  {Ox  {Carbor  {Carbor	ter-treatment of artificial filaments or the like during manufacture ( {of tents from softened glass, minerals or slags C03C; from ceramics C04B }; (M)  see, cellulose derivatives, or proteins tic polymers tromolecular compounds obtained by reactions only involving in-to-carbon unsaturated bonds tromolecular compounds obtained otherwise than by reactions only involving in-to-carbon unsaturated bonds  organic substances {Intercalation } alogen, halogenic acids or their salts } trygen, oxygen-generating compounds (anode oxidising D01F 11/16) } trides }  oron, borides, boron nitrides }

	reinforcing carbon fibres C22C 49/14) }	
D01F 11/128	{Nitrides, nitrogen carbides (nitrogen borides <u>D01F 11/124</u> ) }	
D01F 11/129	{ Intercalated carbon- or graphite fibres }	
D01F 11/14	with organic compounds, e.g. macromolecular compounds	
D01F 11/16	by physicochemical methods	
	Recovery of starting material, waste material or solvents during the manufacture of artificial filaments or the like	
D01F 13/00		
<b>D01F 13/00</b> D01F 13/02		